

# NEY Product Information



## Data Sheet

### Fastor

Sliding Door System



**NEY Ltd (Head Office)**  
Stonebridge Trading Estate  
Sibree Road  
Coventry  
CV3 4FD

**t** 024 7630 8100  
**f** 024 7630 8101  
**e** sales@ney.co.uk

**NEY Ireland**  
Unit 22 Blaris Ind Estate  
Altona Road  
Lisburn  
BT27 5QB

**t** 028 92 673 000  
**f** 028 92 672 999  
**e** ireland@ney.co.uk

**NEY Scotland**  
Block 2 Units 1-2-3  
Bandeath Ind Est  
Throsk, Stirling  
FK7 7NP

**t** 01786 814 814  
**f** 01786 814 812  
**e** scotland@ney.co.uk



**Applications**

- Wardrobe doors.

**Features**

- Bottom running system.
- Easily installed and durable.
- Quiet sliding action.
- High quality aluminium profiles.
- Max. Load per leaf - 60kg.
- Ball bearing rollers.
- Surface mounted hardware.
- Adjustable and sprung travel hardware providing constant contact with track on uneven surfaces.



Ball Bearing



60Kg



18-42mm Board




Natural



Champagne




Light gold



**FASTOR**  
Sliding door system

# FASTOR System overview




## Kit contents for 1 x door

**LA004446** 1 Door



Screw kit


(x1)



**LA004416**

Upper & lower travel hardware with bearing Ø34mm


## Essentials



**LA001440** (Natural)

Aluminium upper / lower guide rail  
Can be used for curved doors

OR



**LA04440A** (Natural)

**LA04444A** (Champagne)

**LA04445A** (Light gold)

Aluminium upper / lower guide rail