

NEY Product Information



Data Sheet

Standard

Sliding Door System



NEY Ltd (Head Office)
Stonebridge Trading Estate
Sibree Road
Coventry
CV3 4FD

t 024 7630 8100
f 024 7630 8101
e sales@ney.co.uk

NEY Ireland
Unit 22 Blaris Ind Estate
Altona Road
Lisburn
BT27 5QB

t 028 92 673 000
f 028 92 672 999
e ireland@ney.co.uk

NEY Scotland
Block 2 Units 1-2-3
Bandeath Ind Est
Throsk, Stirling
FK7 7NP

t 01786 814 814
f 01786 814 812
e scotland@ney.co.uk



Applications

- Internal doors.
- Partitioning.
- Cavity concealed.
- Glazed or solid panels.

Features

- Top hung system.
- Easily installed and durable.
- Quiet sliding action.
- High quality aluminium profiles.
- Max. Load per leaf - 100kg.
- Ball bearings with silencing tyres.



Ball Bearing



100Kg




18-40mm Board







STANDARD
Sliding door system

STANDARD System overview




Alternative fixings



Kit contents for 1 x door


LA001162 1 Door

LA001163 2 Doors




Screw kit

x1




LA001120
Travel hardware 4 bearings
Ø22mm




LA001150
Travel hardware fastening

x2



LA001150 (White)
LA001151 (Brown)
Plastic guide


x2



LA001141
Latch stop

x2

Essentials




LA0K0751

Aluminium
upper guide
rail


Accessories

OPTIONAL




LA001130

Wall spacer
bracket




LA001131

Wall
fastening
bracket




LA001134

Wall
fastening
bracket
(40mm panel
thickness)




LA001132

Ceiling
fastening
bracket




LA001133

Rail
connector



LA00C106

Aluminium
lower guide
rail



LA001180

Recessed
side fixing