

# NEY Product Information



## Data Sheet

### Porta Glass

Sliding Door System



**NEY Ltd (Head Office)**  
Stonebridge Trading Estate  
Sibree Road  
Coventry  
CV3 4FD

**t** 024 7630 8100  
**f** 024 7630 8101  
**e** sales@ney.co.uk

**NEY Ireland**  
Unit 22 Blaris Ind Estate  
Altona Road  
Lisburn  
BT27 5QB

**t** 028 92 673 000  
**f** 028 92 672 999  
**e** ireland@ney.co.uk

**NEY Scotland**  
Block 2 Units 1-2-3  
Bandeath Ind Est  
Throsk, Stirling  
FK7 7NP

**t** 01786 814 814  
**f** 01786 814 812  
**e** scotland@ney.co.uk



**Applications**

- Glazed partitions.
- Internal doors.
- Cavity concealed.

**Features**

- Top hung system.
- Easily installed and durable.
- Quiet sliding action.
- High quality aluminium profiles.
- Max. Load per leaf - 75kg.
- Ball bearings with silencing tyres.
- Aluminium glass clamp (no holes in glass required).



Ball Bearing



75Kg




18-40mm  
Mirror or glass



**PORTA GLASS**  
Sliding door system

# PORTA GLASS System overview



**Kit contents for 1 x door**

<b>LA01169A</b>	<b>8mm</b>
<b>LA01169B</b>	<b>10mm</b>
<b>LA01169C</b>	<b>12mm</b>

**LA001141** Latch stop (x2)

**LA001101** Aluminium lower guide, for glass thickness 8/10/12mm (x1)

**LA011750** (8mm)  
**LA011760** (10mm)  
**LA011770** (12mm)  
 Travel hardware with glass grip (x2)

**Screw kit** (x1)

**Essentials**

**LA0K0751**  
 Aluminium upper guide rail

**Accessories**

<b>LA001130</b> Wall spacer bracket	<b>LA001131</b> Wall fastening bracket	<b>LA001134</b> Wall fastening bracket (40mm panel thickness)	<b>LA001132</b> Ceiling fastening bracket	<b>LA001133</b> Rail connector
--	---	--	--	-----------------------------------