

NEY Product Information



Data Sheet

Stanford

Folding Door System



NEY Ltd (Head Office)
Stonebridge Trading Estate
Sibree Road
Coventry
CV3 4FD

t 024 7630 8100
f 024 7630 8101
e sales@ney.co.uk

NEY Ireland
Unit 22 Blaris Ind Estate
Altona Road
Lisburn
BT27 5QB

t 028 92 673 000
f 028 92 672 999
e ireland@ney.co.uk

NEY Scotland
Block 2 Units 1-2-3
Bandeath Ind Est
Throsk, Stirling
FK7 7NP

t 01786 814 814
f 01786 814 812
e scotland@ney.co.uk



Applications

- Left-hand or right-hand internal doors.
- Partitioning.
- Walk-in wardrobes.

Features

- Max. Load per 2 leaves - 40kg.
- Ball bearings with silencing tyres.
- Fastening components made of galvanized steel.
- Easily installed and durable.
- No sill.
- Smooth sliding action.
- Can be fitted to existing door frames.
- Adjustable tensioning catch-bolt hinge.



Ball Bearing



40Kg




18-40mm Board



STANFOLD
Sliding door system

STANFOLD System overview




Kit contents for 1 x door

LA001165 1 Door




Screw kit


(x1)




LA001177
Silver LUX catch-bolt hinge



LA001140
Stopper




LA001179
Travel hardware 4 bearings Ø22mm



PIVOT ASSEMBLY


Accessories



Flush hinge


LA001142 (Zinc)

LA001143 (Brass)




LA001132

Ceiling fastening bracket



LA001133


Rail connector



LA001174

Guide interlock

Essentials



LA0K0751

Upper guide rail