



## Quadro 25 Under Mount Single Extension Slides TECHNICAL SPECIFICATION

**NEY Ltd (Head Office)**  
Stonebridge Trading Estate  
Sibree Road  
Coventry  
CV3 4FD

**t** 024 7630 8100  
**f** 024 7630 8101  
**e** sales@ney.co.uk

**NEY Ireland**  
Unit 22 Blaris Ind Estate  
Altona Road  
Lisburn  
BT27 5QB

**t** 028 92 673 000  
**f** 028 92 672 999  
**e** ireland@ney.co.uk

**NEY Scotland**  
Block 2 Units 1-2-3  
Bandeath Ind Est  
Throsk, Stirling  
FK7 7

**t** 01786 814 814  
**f** 01786 814 812  
**e** scotland@ney.co.uk



# QUADRO 25 UNDER-MOUNT **SINGLE EXTENSION SLIDES**

- Silent System - the integrated Silent System closes the drawer quietly and gently
- Push to open - the precision activating mechanism automatically opens the drawer in virtual silence - a light press is all it takes!
- Convenient slide on installation with catches and tool-less height adjustment
- Flexible interchangeable system - from Quadro partial to full extension runner without altering carcass, drawer or front panel dimensions
- Galvanised steel, suitable for rooms exposed to moisture. Load capacity to EN 15338, Level 3



| SOFT CLOSE   |          |
|--------------|----------|
| Pack Qty: 15 |          |
| Depth        | Item No. |
| 250mm        | 278472   |
| 300mm        | 278024   |
| 350mm        | 278025   |
| 400mm        | 278026   |
| 450mm        | 278027   |
| 500mm        | 278028   |
| 550mm        | 278029   |

| PUSH OPEN    |          |
|--------------|----------|
| Pack Qty: 15 |          |
| Depth        | Item No. |
| 250mm        | 278030   |
| 300mm        | 278031   |
| 350mm        | 278032   |
| 400mm        | 278033   |
| 450mm        | 278034   |
| 500mm        | 278035   |
| 550mm        | 278036   |



Slides

## Catch for wooden drawers with grooved bottom panel (Quadro 25 and Quadro V6)



| Item  | Pack Qty. | Item No. |
|-------|-----------|----------|
| Left  | 1         | 278037   |
| Right | 1         | 278038   |

- For secure, tool-less connection of Quadro runners and wooden drawers
- Infinite height adjustment up to + 2mm via a knurled wheel
- Plastic, black



Push Open

# TECHNICAL SPECIFICATION

## DIMENSIONS

